

# CERTIFICATE

## (1) EC-Type Examination

(2) **Equipment and protective systems intended for use in potentially explosive atmospheres - Directive 94/9/EC**

(3) EC-Type Examination Certificate Number: **DEKRA 12ATEX0139 X** Issue Number: **2**

(4) Equipment: **Cable Gland, Series EXIOS A2F**

(5) Manufacturer: **Hummel AG**

(6) Address: **Lise-Meitner-Straße 2, 79211 Denzlingen, Germany**

(7) This equipment and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) DEKRA Certification B.V., notified body number 0344 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the directive.

The examination and test results are recorded in confidential assessment report no. NL/DEK/EXTR12.0032/\*\*.

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

**EN 60079-0 : 2012**  
**EN 60079-31 : 2014**

**EN 60079-1 : 2014**

**EN 60079-7 : 2007**

(10) If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the schedule to this certificate.

(11) This EC-Type Examination Certificate relates only to the design, examination and tests of the specified equipment according to the Directive 94/9/EC. Further requirements of the directive apply to the manufacturing process and supply of this equipment. These are not covered by this certificate.

(12) The marking of the equipment shall include the following:



**II 2 G Ex db e IIC Gb**  
**II 1 D Ex ta IIIC Da**

This certificate is issued on 20 March 2015 and, as far as applicable, shall be revised before the date of cessation of presumption of conformity of (one of) the standards mentioned above as communicated in the Official Journal of the European Union.

DEKRA Certification B.V.

  
T. Pijpker  
Certification Manager

(13) **SCHEDULE**

(14) **to EC-Type Examination Certificate DEKRA 12ATEX0139 X**

Issue No. 2

(15) **Description**

Cable Gland, Series EXIOS A2F, made of brass, nickel plated brass or stainless steel for use with effectively filled circular non-armoured or braided cables.  
Available thread sizes are M16 to M90 and 3/8" to 3" NPT.

Operating temperature range: -60 °C to +105 °C.

The cable gland provides a degree of ingress protection of IP66/68 (0,5 MPa for 30 min.) in accordance with EN 60529.

**Installation instructions**

The instructions provided with the equipment shall be followed in detail to assure safe operation.

(16) **Assessment Report**

No. NL/DEK/ExTR12.0032/\*\*.

(17) **Specific conditions of use**

- The cable glands are tested with a reduced tensile force (25 %) in accordance with clause A.2.3.2 of EN 60079-0 and shall only be used for fixed installation. The user shall ensure adequate clamping of the cable.
- The cable glands are provided with a sealing ring with a minimum axial sealing height of 5 mm.
- The installer shall ensure that, taking into account the presence of an undercut, at least five full threads are in engagement when the cable glands are assembled onto the flameproof enclosure.

(18) **Essential Health and Safety Requirements**

Assured by compliance with the standards listed at (9).

(19) **Test documentation**

As listed in Assessment Report No. NL/DEK/ExTR12.0032/\*\*.